

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/771,747	02/03/2004	Choung-Ku Chon	4591-354	3655
20575 7.	590 05/08/2006	EXAMINER		
MARGER JOHNSON & MCCOLLOM, P.C. 210 SW MORRISON STREET, SUITE 400			ZERVIGON, RUDY	
PORTLAND, OR 97204		L 100	ART UNIT	PAPER NUMBER
			1763	**
			DATE MAILED: 05/08/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

			ת
	Application No.	Applicant(s)	0
Office Antique Commence	10/771,747	CHON ET AL.	
Office Action Summary	Examiner	Art Unit	
	Rudy Zervigon	1763	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
 Responsive to communication(s) filed on 23 F This action is FINAL. Since this application is in condition for alloware closed in accordance with the practice under E 	s action is non-final. ince except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 1-10,24 and 25 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10,24 and 25 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.		
_			
9) The specification is objected to by the Examine 10) The drawing(s) filed on 03 February 2004 is/ar Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	re: a) ☐ accepted or b) ☒ objected or b) ☒ objected or a second o	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicat prity documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D	ate	
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date) 5) Notice of Informal F 6) Other:	Patent Application (PTO-152)	

Art Unit: 1763

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "temperature controller" must be shown or the feature canceled from the claims. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 1763

3. Claims 1-10, 24, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Campbell; Bryant A. et al. (US 4547404 A) in view of Katayama; Katsuo et al. (US 5529632 A). Campbell teaches a diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) for use in fabricating semiconductor devices, the furnace comprising: a support member (42; Figure 2; column 4, line 55 - column 5, line 29); a process chamber (4; Figure 1.2; column 4, line 55 column 5, line 29) installed on the support member (42; Figure 2; column 4, line 55 - column 5. line 29); a sealing member (50; Figure 2) for sealing the process chamber (4; Figure 1.2; column 4, line 55 - column 5, line 29) from the outside, the sealing member (50; Figure 2) being inserted between the support member (42; Figure 2; column 4, line 55 - column 5, line 29) and the process chamber (4; Figure 1,2; column 4, line 55 - column 5, line 29); and a cooling system (62, 64; Figure 2; column 4, line 55 - column 5, line 29) for cooling the sealing member (50; Figure 2), the cooling system (62, 64; Figure 2; column 4, line 55 - column 5, line 29) including a first fluid passage (64; Figure 2) in which a first fluid flows for cooling the sealing member (50; Figure 2), the first fluid passage (64; Figure 2) being formed within the support member (42; Figure 2; column 4, line 55 - column 5, line 29)

Campbell further teaches:

- i. Campbell's diffusion furnace (Figure 1; column 4, line 55 column 5, line 29) of claim 1, wherein the sealing member (50; Figure 2) is an O-ring, as claimed by claim 3
- ii. Campbell's diffusion furnace (Figure 1; column 4, line 55 column 5, line 29) of claim 1, wherein the first fluid passages are substantially ring-shaped claim 4

Campbell does not teach that an additional second fluid passage in which a second fluid flows for cooling the sealing member (50; Figure 2) when supplying the first fluid is interrupted, the

Art Unit: 1763

second fluid passage being formed within the support member (42; Figure 2; column 4, line 55 - column 5, line 29).

Campbell further does not teach:

i. Campbell's diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 1,

wherein Campbell's cooling system (62, 64; Figure 2; column 4, line 55 - column 5, line 29)

includes: Campbell's first supply conduit (62; Figure 2; column 4, line 55 - column 5, line 29)

connected to Campbell's first inflow port (62/64 interface; Figure 2; column 4, line 55 - column

5, line 29) formed at one end of Campbell's first fluid passage (64; Figure 2); a return conduit

connected to a first outflow port formed at the other end of Campbell's first fluid passage (64;

Figure 2); a temperature controller, to which the first supply conduit (62; Figure 2; column 4,

line 55 - column 5, line 29) and the return conduit are connected, for controlling the temperature

of the first fluid supplied to the first supply conduit (62; Figure 2; column 4, line 55 - column 5,

line 29); a second supply conduit connected to a second inflow port formed at one end of the

second fluid passage; and an exhaust conduit connected to a second outflow port formed at the

other end of the second fluid passage, as claimed by claim 2

ii. Campbell's diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 4,

wherein the second fluid passage is formed substantially coplanar with Campbell's first fluid

passage (64; Figure 2), as claimed by claim 5

iii. Campbell's diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 4,

wherein Campbell's first fluid passage (64; Figure 2) and the second fluid passage are disposed

one over the other, as claimed by claim 6

Campbell's diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 1, iv. wherein the first fluid has a higher boiling point than the second fluid, as claimed by claim 7 – However, applicant's claim requirement is a claim requirement of intended use of the pending apparatus claims. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter, 618) F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey, 152 USPO 235 (CCPA 1967); In re Otto, 136 USPO 458, 459 (CCPA 1963); MPEP2111.02).

Page 5

- Campbell's diffusion furnace (Figure 1; column 4, line 55 column 5, line 29) of claim 1, wherein the second fluid is cooling water, as claimed by claim 8. However, applicant's claim requirement is a claim requirement of intended use of the pending apparatus claims. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter, 618 F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey, 152 USPO 235 (CCPA 1967); In re Otto, 136 USPQ 458, 459 (CCPA 1963); MPEP2111.02).
- Campbell's diffusion furnace (Figure 1; column 4, line 55 column 5, line 29) of claim 1, vi. wherein the first fluid is an organic liquid, as claimed by claim 9. However, applicant's claim

requirement is a claim requirement of intended use of the pending apparatus claims. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter, 618 F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey,152 USPQ 235 (CCPA 1967); In re Otto, 136 USPQ 458, 459 (CCPA 1963); MPEP2111.02).

vii. Campbell's diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 1, wherein the first fluid is ethylene glycol, as claimed by claim 10. However, applicant's claim requirement is a claim requirement of intended use of the pending apparatus claims. Further, it has been held that claim language that simply specifies an intended use or field of use for the invention generally will not limit the scope of a claim (Walter, 618 F.2d at 769, 205 USPQ at 409; MPEP 2106). Additionally, in apparatus claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim (In re Casey,152 USPQ 235 (CCPA 1967); In re Otto, 136 USPQ 458, 459 (CCPA 1963); MPEP2111.02).

viii. The diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim l, wherein the second fluid flows in the second fluid passage when an error occurs at the temperature controller, as claimed by claim 24

Application/Control Number: 10/771,747

Art Unit: 1763

ix. The diffusion furnace (Figure 1; column 4, line 55 - column 5, line 29) of claim 24,

Page 7

wherein the second fluid flows in the second fluid passage in response to an electrical control

signal, as claimed by claim 25

Katayama teaches a coolant circuit (11a, 12, 12a; Figure 1) including a temperature controller

(21c,b; Figure 1) for controlling reactor skin temperature (column 5, line 52 – column 6, line 4).

Katayama further teaches that his controller (21c,b; Figure 1) can act on a predetermined

electrical control signal (temperature), where Katayama's "error" is represented as a difference

between a "predetermined temperature" and a process temperature:

"

The heating medium set to have a predetermined temperature by the temperature controller 21b

is circulated in the flow path 12 at a given flow rate.

" (column 6; lines 55-65)

It would have been obvious to one of ordinary skill in the arta at the time the invention was

made to add plural cooling conduits to Campbell's support member (42; Figure 2; column 4,

line 55 - column 5, line 29) and for Campbell to add Katayama's temperature controller (21c,b;

Figure 1) to Campbell's apparatus.

Motivation to add plural cooling conduits to Campbell's support member (42; Figure 2; column

4, line 55 - column 5, line 29) is to enhance cooling as taught by Campbell's additional second

fluid passage (68; Figure 2) and for Campbell to add Katayama's temperature controller (21c,b;

Figure 1) to Campbell's apparatus is for controlling depositions on chamber surfaces as taught

by Katayama (column 7; lines 49-65).

Art Unit: 1763

Response to Arguments

4. Applicant's arguments filed February 23, 2006 have been fully considered but they are

not persuasive.

5. In response to applicant's argument that there is no suggestion to combine the references,

the examiner recognizes that obviousness can only be established by combining or modifying the

teachings of the prior art to produce the claimed invention where there is some teaching,

suggestion, or motivation to do so found either in the references themselves or in the knowledge

generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5

USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

In this case, the Examiner has provided evidence for his proposed combination that

demonstrates teaching, suggestion, and motivation to combine the references found in the

references themselves and in the knowledge generally available to one of ordinary skill in the art.

In particular, the Examiner cited that motivation to add plural cooling conduits to Campbell's

support member (42; Figure 2; column 4, line 55 - column 5, line 29) is to enhance cooling as

taught by Campbell's additional second fluid passage (68; Figure 2). Motivation for Campbell to

add Katayama's temperature controller (21c,b; Figure 1) to Campbell's apparatus is for

controlling depositions on chamber surfaces as taught by Katayama (column 7; lines 49-65).

6. In response to applicant's argument that "...the second fluid passage is being used as a

backup system for providing cooling fluid in the event that the supply of first cooling fluid is

interrupted so as to protect the sealing member.", the fact that applicant has recognized another

advantage which would flow naturally from following the suggestion of the prior art cannot be

the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Conclusion

7. Applicant's amendment necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1763

1435.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Rudy Zervigon whose telephone number is (571) 272-1442. The examiner can normally be reached on a Monday through Thursday schedule from 8am through 7pm. The official fax phone number for the 1763 art unit is (571) 273-8300. Any Inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Chemical and Materials Engineering art unit receptionist at (571) 272-1700. If the examiner can not be reached please contact the examiner's supervisor, Parviz Hassanzadeh, at (571) 272-